

SO ORDERED VERNON S. BRODERICK
U.S.D.J. 2/9/2023

New York, New York 10007

February 8, 2023

BY ECF

The Honorable Vernon S. Broderick United States District Judge United States Courthouse 40 Foley Square New York, New York 10007

Re: Riverkeeper, Inc. v. Regan, No. 17 Civ. 4916 (VSB)

Dear Judge Broderick:

On behalf of defendants and with the consent of all parties, I write to provide the Court a status update as provided in the Court's endorsed order dated January 18, 2023 [ECF No. 192]. Since January 18, the parties have continued their discussions regarding intervenor-defendant New York State Department of Environmental Conservation's ("NYSDEC") advanced notice of proposed rulemaking, which was referenced in defendants' August 10, 2022 letter to the Court [ECF Nos. 184]. NYSDEC is continuing to work on updates to New York State's water quality standard regulations and waterbody classifications, and intends to file a notice of proposed rulemaking by March 2023.

To facilitate these ongoing discussions, particularly with the goal of reaching a shared understanding with respect to NYSDEC's proposed rulemaking process, defendants respectfully request that the Court continue to hold in abeyance any action on the parties' pending crossmotions for summary judgment and NYSDEC's motion to amend its answer to assert a crossclaim against EPA [ECF Nos. 128, 150, 145, 154, 173], until March 13, 2023. Defendants further propose that the parties submit a joint status letter to the Court on or before March 10, 2023. This is the defendants' fifth request on consent for the Court to hold these motions in abeyance. Plaintiffs and intervenor-defendants NYSDEC and the City of New York consent to this request.

We thank the Court for its consideration of this request.

Hon. Vernon S. Broderick February 8, 2023 Page 2 of 2

Respectfully,

DAMIAN WILLIAMS United States Attorney

/s/ Tomoko Onozawa

By: TOMOKO ONOZAWA

Assistant United States Attorney

Tel: (212) 637-2721 Fax: (212) 637-2686

cc (via ECF): All counsel of record